

Targeted treatments and antibody therapy

Lots of targeted treatments and antibody therapies are used to treat lymphoma. This information gives an overview of how they work. You may want to use this information to look up a particular type of treatment, rather than reading the whole page.

We have [separate information on the individual drugs](#) and on [CAR T-cell therapy](#).

On this page

What are targeted treatments?

Types of targeted treatment

What is antibody therapy?

Types of antibody therapy

We have separate information about the topics in **bold font**. Please get in touch if you'd like to request copies or if you would like further information about any aspect of lymphoma. Phone 0808 808 5555 or email information@lymphoma-action.org.uk.

What are targeted treatments?

Targeted treatments are medicines that have been specially designed to attack particular proteins on lymphoma cells. The proteins they attack are much more common in lymphoma cells than in healthy cells. They are often proteins that are important in helping the cancer cells grow and survive.

Targeted treatments attack lymphoma cells more precisely than **chemotherapy**. This means they are able to kill lymphoma cells with fewer unwanted effects on healthy cells, leading to fewer side effects.

Some targeted treatments are given on their own. Some targeted treatments are given alongside **antibody therapy** or chemotherapy.

There are lots of different [types of targeted treatment](#), depending on the particular protein they attack. Many more are being developed in [clinical trials](#).

Types of targeted treatment

There are lots of different types of targeted treatment. They all work in different ways depending on the proteins they attack. Here, we give a brief overview of the main types that are either already available to treat lymphoma, or are in clinical trials for lymphoma. We have more [information on the individual drugs](#), including the exact types of lymphoma they are licensed for – click on the drug name to go straight to it.

Checkpoint inhibitors

Some lymphoma cells are able to hide from your immune system by sticking to a protein on T cells that tells the T cell not to attack. Checkpoint inhibitors block this protein. This means your T cells are able to recognise and attack the lymphoma cells.

Checkpoint inhibitors that are currently available to treat some types of lymphoma are:

- [nivolumab](#)
- [pembrolizumab](#).

B-cell receptor pathway inhibitors

All cells use chemical messengers to send and receive signals to and from other cells. Some of these signals keep the cells alive or make them divide. B-cell receptor pathway inhibitors block these signals in B cells – the cells that grow out of control if you have a B-cell lymphoma. Blocking the signals can make the B cells die or stop them dividing.

There are different types of B-cell receptor pathway inhibitors, depending on the protein they block.

BTK inhibitors

BTK inhibitors block a protein called Bruton's tyrosine kinase. BTK inhibitors currently available to treat some types of lymphoma are:

- **ibrutinib**
- **acalabrutinib**
- **zanubrutinib.**

Other BTK inhibitors are being tested in **clinical trials**.

PI3K inhibitors

PI3K inhibitors block a protein called phosphatidylinositol 3-kinase. PI3K inhibitors currently available to treat some types of lymphoma are:

- **idelalisib**
- **duvelisib.**

Other PI3K inhibitors are being tested in **clinical trials**.

mTOR inhibitors

mTOR inhibitors block a protein called mammalian target of rapamycin. At the time of writing, the following mTOR inhibitor is licensed to treat mantle cell lymphoma, although it is not currently available on the NHS:

- **temsirolimus.**

BCL-2 inhibitors

Cells usually have a natural lifespan. When they get old, they die and are replaced by new cells. This process is usually kept carefully in balance.

B-cell lymphoma-2 (BCL-2) is a protein that can block the natural process that makes cells die when they should. Some lymphoma cells make a lot more BCL-2 than healthy cells, which helps them stay alive longer than they should. BCL-2 inhibitors block the BCL-2 protein. This activates the process of natural cell death.

At the time of writing, the following BCL-2 inhibitor is licensed to treat some types of lymphoma:

- **venetoclax.**

Proteasome inhibitors

Proteasomes are chemicals that break down proteins inside cells and recycle them. This helps keep the proteins in balance so the cell works as it should. It is a natural process – but it is especially important for lymphoma cells because they make a lot more protein than healthy cells. Proteasome inhibitors block proteasomes, which leads to a build-up of proteins in the lymphoma cells. The cells are no longer able to work properly and die.

At the time of writing, the following proteasome inhibitor is licensed to treat some types of lymphoma:

- **bortezomib.**

Immunomodulators

Immunomodulators are drugs that alter the way your immune system responds to lymphoma cells, helping it work more effectively. They also act directly on lymphoma cells to stop the cells dividing, and activate processes that kill the cells.

At the time of writing, the following immunomodulator is licensed to treat some types of lymphoma:

- **lenalidomide.**

HDAC inhibitors

HDAC inhibitors block an enzyme called histone deacetylase. This alters the activity of genes to make cancer cells die. HDAC inhibitors also help your immune system respond better to cancer cells.

At the time of writing, there aren't any HDAC inhibitors licensed for lymphoma, but several are being tested in **clinical trials**. These include:

- romidepsin
 - vorinostat.
-

What is antibody therapy?

Antibody therapy is a type of targeted treatment.

Antibodies are specialised proteins that your white blood cells make. They help fight infections by sticking to proteins on the surface of cells that don't belong in your body, such as viruses and bacteria. Once they have stuck to these proteins, the antibodies either kill the cell directly or help your **immune system** find it and destroy it.




Figure: Antibodies stick to specific proteins on cells

Antibody therapy uses antibodies that have been specially made in a lab. They are designed to recognise and stick to a protein on a cancer cell. This activates your immune system to destroy the cancer cell. Antibody therapy is also known as 'immunotherapy' because it works through your own immune system.

Antibody therapy is often given alongside chemotherapy. This is called 'chemoimmunotherapy' (or CIT).

Types of antibody therapy

Different types of antibody therapy are available to treat lymphoma. They work in different ways depending on how they are made and the proteins they target. Here, we give a brief overview of the main types that are either already available to treat lymphoma, or are in clinical trials for lymphoma. We have more [information on the individual drugs](#), including the exact types of lymphoma they are licensed for – click on the drug name to go straight to it.

Monoclonal antibodies

‘Monoclonal’ antibodies means that all the antibodies are exactly the same, so they stick to exactly the same protein. When they stick to their target protein, they activate your immune system to destroy the cell that’s making the protein.

There are different monoclonal antibodies available to treat lymphoma that target different proteins. These include:

- [mogamulizumab](#), which sticks to a protein called CCR4 on T-cell lymphomas
- [obinutuzumab](#), which sticks to a protein called CD20 on B-cell lymphomas
- [rituximab](#), which sticks to a protein called CD20 on B-cell lymphomas
- [tafasitamab](#), which sticks to a protein called CD19 on B-cell lymphomas.

Antibody–drug conjugates

Antibody–drug conjugates are monoclonal antibodies joined to a chemotherapy drug. The antibody is designed to stick to a protein on lymphoma cells and carry the chemotherapy drug directly to them. At the time of writing, the following antibody–drug conjugates are licensed to treat some types of lymphoma:

- [brentixumab vedotin](#)
- [polatuzumab vedotin](#).

Radio-immunotherapy

Radio-immunotherapies (RIT) are monoclonal antibodies joined to a radioactive particle. They are also known as radioligands. The antibody is designed to stick to a protein on lymphoma cells and carry the radioactive particle to them. This delivers a small dose of radiotherapy directly to the lymphoma cells. At the time of writing, the following radio-immunotherapy is licensed to treat some types of lymphoma, although it is not currently available on the NHS:

- 90Y-ibritumomab tiuxetan.

Other radio-immunotherapies are being tested in [clinical trials](#).

Bispecific antibodies

Most antibody therapies stick to one target protein. Bispecific antibodies stick to two different target proteins – one on lymphoma cells and one on healthy **T cells** (immune cells that can kill other cells). This helps the T cells find and destroy the lymphoma cells.

At the time of writing, there aren't any bispecific antibodies licensed for lymphoma, but several are being tested in [clinical trials](#). These include:

- blinatumomab
- glofitamab
- mosunetuzumab
- odronextamab
- epcoritamab.

Acknowledgements

- Dr Eve Gallop-Evans, Consultant Clinical Oncologist, Velindre Cancer Centre, Cardiff. Dr Gallop-Evans has received advisory board honoraria and lecture fees from Takeda and Kyowa Kirin.
- Dr Rob Lown, Consultant Haematologist, University Hospital Southampton NHS Trust.
- We would like to thank the members of our Reader Panel who gave their time to review this information.

References

The full list of references for this page is available on our website. Alternatively, email publications@lymphoma-action.org.uk or call 01296 619409 if you would like a copy.

Content last reviewed: October 2021

Next planned review: October 2024

LYMweb0269TargetedAntibodyOverview2021v1

✓	Evidence-based
✓	Approved by experts
✓	Reviewed by users

© Lymphoma Action

Tell us what you think and help us to improve our resources for people affected by lymphoma. If you have any feedback, please visit lymphoma-action.org.uk/Feedback or email publications@lymphoma-action.org.uk.

All our information is available without charge. If you have found it useful and would like to make a donation to support our work you can do so on our website lymphoma-action.org.uk/Donate. Our information could not be produced without support from people like you. Thank you.

Disclaimer

We make every effort to make sure that the information we provide is accurate at time of publication, but medical research is constantly changing. Our information is not a substitute for individual medical advice from a trained clinician. If you are concerned about your health, consult your doctor.

Lymphoma Action cannot accept liability for any loss or damage resulting from any inaccuracy in this information or third party information we refer to, including that on third party websites.